## **Accessories for 30mm Sensors**


### **Axial Mounting Bracket**

Mounting bracket, axial, zinc-plated steel. For use with 30mm sensors. Has two mounting holes (use 5mm screws) and allows the rotation of an optical axis for right-beam-angle-adapter sensors. Hexagonal nuts not included.

Accessories for 30mm Sensors				
Part Number	Price	Description	Weight Ib [g]	
<u>ST30A</u>		Mounting bracket, axial, zinc plated steel. For use with 30mm sensors.	0.18 (81.7)	

#### **Dimensions**

mm [inches]






ST30A

#### **Right-angle Mounting Bracket**

Mounting bracket, right-angle, zinc-plated steel. For use with 30mm sensors. Has two mounting holes (use 5mm screws) and allows the rotation of an optical axis for axial sensors. Hexagonal nuts not included.





## **Accessories for 30mm Sensors**


### **Right-angle Mounting Bracket**

Mounting bracket, right-angle, 304 stainless steel. For use with 30mm sensors.

Accessories for FW Series Sensors				
Part Number	Part Number Price Description		Weight Ib [g]	
<u>ST30C6W</u>		Mounting bracket, right-angle, 304 stainless steel. For use with 30mm sensors.	0.15 (68.0)	

#### **Dimensions**

mm [inches]





ST30C6W

### **Right-angle Swivel Mounting Systems**

Mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 12mm rod mount. For use with 30mm sensors. Available in all 304 stainless steel or with an aluminum head with a 304 stainless steel mounting plate.

Accessories for 30mm Sensors								
Part Number	Price	Description	Mounting Head	Mounting Plate	Drawing Link	Weight Ib [g]		
<u>OPT2118</u>		Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, aluminum, 12mm rod mount. For use with 30mm sensors.	Aluminum	304 Stainless steel	<u>PDF</u>	0.18 (81.7)		
<u>OPT2119</u>		Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 304 stainless steel, 12mm rod mount. For use with 30mm sensors.	304 Stainless Steel	304 Stainless steel	<u>PDF</u>	0.18 (81.7)		



Note: 304 Stainless steel mounting rods sold separately: OPT2109 (200mm [7.87 in] length), OPT2110 (300mm [11.81 in] length), and OPT2111 (500mm [19.69 in] length).

OPT2118, OPT2119

# **Mounting Rods and Brackets**

### **Mounting Rods**

304 Stainless steel rods for mounting swivel brackets OPT2112 - OPT2127. Available in three lengths: 200mm, 300mm, and 500mm. 12mm diameter.

Mounting Rods for OPT2112-2127 Swivel Mounting Brackets					
Part Number	Price	Description	Drawing Link	Weight Ib (g)	
<u>OPT2109</u>		Wenglor mounting rod, 12mm diameter, 200mm length, 304 stainless steel.	PDF	0.41 (185.97)	
<u>OPT2110</u>		Wenglor mounting rod, 12mm diameter, 300mm length, 304 stainless steel.	PDF	0.60 (272.16)	
<u>OPT2111</u>		Wenglor mounting rod, 12mm diameter, 500mm length, 304 stainless steel.	PDF	0.98 (444.52)	



## **Right-angle Mounting Bracket**

Mounting bracket, right-angle, nickel-plated brass. For use with 12mm mounting rods OPT2109, OPT2110 & OPT2111.

Right-angle Mounting Brackets for 12mm Sensors					
Part Number	Price	rice Description		Weight Ib (g)	
<u>OPT2108</u>		Wenglor mounting bracket, right-angle, nickel plated brass. For use with 12mm mounting rods OPT2109, OPT2110 & OPT2111.	<u>PDF</u>	0.07 (31.8)	

