



Fuse blocks are available for 1/4", 5mm, Class CC and midget size fuses, either with or without a blown fuse LED. LED fuse blocks are polarity sensitive and are 35mm DIN-rail mountable. The hinge side is positive.




**DN-F6 Series:**  
EURO S 10H/35



**DN-F6L Series:**  
EURO S 10H/35



**DN-F10 Series:**  
EURO S 4LH/35



**DN-F10L Series:**  
EURO S 4LH/35

## Ordering Information

	Part Number	Qty	Price	Part Number	Qty	Price	Part Number	Qty	Price	Part Number	Qty	Price
Gray Terminal Block	<a href="#">DN-F6</a>	25		-			<a href="#">DN-F10</a>	50		-		
	<a href="#">DN-F6MN</a>	7					<a href="#">DN-F10MN</a>	10				
12-24 VAC/DC*				<a href="#">DN-F6L24</a>	10					<a href="#">DN-F10L24</a>	10	
110 VAC/DC*				<a href="#">DN-F6L110</a>	10					<a href="#">DN-F10L110</a>	10	
220 VAC/DC*				<a href="#">DN-F6L220</a>	10					<a href="#">DN-F10L220</a>	10	

## Technical Specifications

<b>Stripping Length</b>	12mm [0.47 in]			12mm [0.47 in]			10mm [0.39 in]			10mm [0.39 in]		
<b>Tightening Torque</b>	0.8 N·m [10 lb·in]			0.8 N·m [10 lb·in]			0.6 N·m [5.3 lb·in]			0.6 N·m [5.3 lb·in]		
<b>Density</b>	100/m [30 pcs/ft]			100/m [30 pcs/ft]			100/m [30 pcs/ft]			100/m [30 pcs/ft]		
<b>UL Approval**</b>	600V	30A	20-6 AWG	600V	30A	20-6 AWG	300V	15A	24-10 AWG	300V	15A	24-10 AWG
<b>CSA Approval</b>	600V	30A	18-6 AWG	600V	30A	18-6 AWG	300V	8A	18-12 AWG	300V	8A	18-12 AWG
<b>VDE Approval</b>	750V	8A	-	750V	8A	-	500V	8A	4mm <sup>2</sup>	500V	8A	4mm <sup>2</sup>
<b>Fuse Size (not supplied)</b>	1 1/4" X 1/4"			1 1/4" X 1/4"			5x20mm-5x25mm			5x20mm-5x25mm		
<b>Indicator Type</b>	Non-indicating			LED blown fuse indicator			Non-indicating			LED blown fuse indicator		
<b>Operating Temperature</b>	Ambient air temperature: -20 to 85°C [-4 to 185°F] / Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]											
<b>SCCR Rating</b>	10kA per Table SB4.1, 2009, UL 508A, Maximum short circuit current rating for unmarked components											
<b>CE Conformity</b>	CE (EN 60947-1 / 60947-7-3)											
<b>Agency File #</b>	UL E179129 / LR84816											

Note: To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.

## Accessories





End Covers		Included			Included			Included			Included		
35mm DIN Rail	7.5 mm high	<a href="#">DN-R35S1</a>	10		<a href="#">DN-R35S1</a>	10		<a href="#">DN-R35S1</a>	10		<a href="#">DN-R35S1</a>	10	
		<a href="#">DN-R35S1-2</a>	2		<a href="#">DN-R35S1-2</a>	2		<a href="#">DN-R35S1-2</a>	2		<a href="#">DN-R35S1-2</a>	2	
	15mm high	<a href="#">DN-R35HS1</a>	10		<a href="#">DN-R35HS1</a>	10		<a href="#">DN-R35HS1</a>	10		<a href="#">DN-R35HS1</a>	10	
		<a href="#">DN-R35HS1-2</a>	2		<a href="#">DN-R35HS1-2</a>	2		<a href="#">DN-R35HS1-2</a>	2		<a href="#">DN-R35HS1-2</a>	2	
End Brackets		<a href="#">DN-EB35</a>	50		<a href="#">DN-EB35</a>	50		<a href="#">DN-EB35</a>	50		<a href="#">DN-EB35</a>	50	
		<a href="#">DN-EB35MN</a>	20		<a href="#">DN-EB35MN</a>	20		<a href="#">DN-EB35MN</a>	20		<a href="#">DN-EB35MN</a>	20	
		<a href="#">DN-EB35-A</a>	50		<a href="#">DN-EB35-A</a>	50		<a href="#">DN-EB35-A</a>	50		<a href="#">DN-EB35-A</a>	50	
		<a href="#">DN-EB35-A-10</a>	10		<a href="#">DN-EB35-A-10</a>	10		<a href="#">DN-EB35-A-10</a>	10		<a href="#">DN-EB35-A-10</a>	10	
		<a href="#">DN-QEB35</a>	50		<a href="#">DN-QEB35</a>	50		<a href="#">DN-QEB35</a>	50		<a href="#">DN-QEB35</a>	50	
		<a href="#">DN-QEB35-10</a>	10		<a href="#">DN-QEB35-10</a>	10		<a href="#">DN-QEB35-10</a>	10		<a href="#">DN-QEB35-10</a>	10	
<b>Angled Support Bracket</b>		<a href="#">DN-ASB1</a>	50		<a href="#">DN-ASB1</a>	50		<a href="#">DN-ASB1</a>	50		<a href="#">DN-ASB1</a>	50	
<b>Marking Tags</b>		DN-L*** or DN-LT****	500/ 100	various	DN-L*** or DN-LT****	500/ 100	various	DN-L*** or DN-LT****	500/ 100	various	DN-L*** or DN-LT****	500/ 100	various

\*Working voltage \*\*For copper wire only \*\*\*On lever arm \*\*\*\*On terminal body

Note: DN-F6 series fuse holders will accommodate the following AutomationDirect fuses: ABC, AGC, MDA and MDL Series.

DN-F10 series fuse holders will accommodate the following AutomationDirect fuses: GMA, GMC, S500, and S506 Series.

For more information on accessories, see the DINnectors Accessories section of this chapter.




## Marking Tags Cross Reference Charts - Screw-type

<b>DINector Marking Tags Cross Reference - Screw-type</b>					
<i>Block Type</i>	<i>DN-L</i>	<i>DN-LA</i>	<i>DN-LT</i>	<i>DN-LAT</i>	<i>DN-EMLBL</i>
<i>DN-T12</i>	-	X	X	-	-
<i>DN-T10</i>	X	-	X	-	-
<i>DN-T8</i>	X	-	X	-	-
<i>DN-T6</i>	X	-	X	-	-
<i>DN-T4</i>	X	-	X	-	-
<i>DN-T1/0</i>	X	-	X	-	-
<i>DN-T3/0</i>	X	-	X	-	-
<i>DN-D10</i>	X	-	X	-	-
<i>DN-D10X</i>	X	-	X	-	-
<i>DN-D10LED</i>	X	-	X	-	-
<i>DN-D10DR</i>	X	-	X	-	-
<i>DN-TL14</i>	-	-	-	X	-
<i>DN-THERM</i>	X	-	X	-	-
<i>DN-EMXM1</i>	-	X	X	-	X
<i>DN-EMXDV</i>	-	X	X	-	X
<i>DN-M10</i>	-	-	X	-	-
<i>DN-MG10</i>	-	-	X	-	-
<i>DN-G10</i>	X	-	X	-	-
<i>DN-G8</i>	X	-	X	-	-
<i>DN-G6</i>	X	-	X	-	-
<i>DN-G4</i>	X	-	X	-	-
<i>DN-G1/0</i>	X	-	X	-	-
<i>DN-F6</i>	X	-	X	-	-
<i>DN-F10</i>	X	-	X	-	-
<i>DN-DIS2</i>	-	X	X	-	-
<i>DN-DIS4</i>	X	-	X	-	-
<i>DN-FE2</i>	-	X	X	-	-
<i>DN-FE4</i>	X	-	X	-	-
<i>DN-DIS10</i>	X	-	X	-	-
<i>DN-KBD12</i>	-	X	X	-	-

Continued on next page


## Marking Tags

Marking Tags DN-L Series			
Part Number	Marking Sequence	Qty	Price
<a href="#"><u>DN-L50</u></a>	1-50	500	
<a href="#"><u>DN-L100</u></a>	51-100	500	
<a href="#"><u>DN-L150</u></a>	101-150	500	
<a href="#"><u>DN-L200</u></a>	151-200	500	
<a href="#"><u>DN-L250</u></a>	201-250	500	
<a href="#"><u>DN-L300</u></a>	251-300	500	
<a href="#"><u>DN-L350</u></a>	301-350	500	
<a href="#"><u>DN-L400</u></a>	351-400	500	
<a href="#"><u>DN-L450</u></a>	401-450	500	
<a href="#"><u>DN-LB</u></a>	Blank	500	
<a href="#"><u>DN-LS</u></a>	L1, L2, L3, L, N, GND, +, -, COM, COM*	500	




- The marking sequence of 50 tags (i.e. 101-150) is printed 10 times in each package of 500.
- The DN-L tags fit all DINnectors 6mm wide and wider.
- There will be a gap between tags on blocks wider than 6mm.
- Material: Thermoplastic with heat embossed black print.

Marking Tags DN-LA Series			
Part Number	Marking Sequence	Qty	Price
<a href="#"><u>DN-LA100</u></a>	1-100	500	
<a href="#"><u>DN-LA200</u></a>	101-200	500	
<a href="#"><u>DN-LA300</u></a>	201-300	500	
<a href="#"><u>DN-LA400</u></a>	301-400	500	
<a href="#"><u>DN-LAB</u></a>	Blank Tags	500	
<a href="#"><u>DN-LAS</u></a>	L1, L2, L3, L, N, GND, +, -, COM, COM*	500	




- The marking sequence of 100 tags (i.e. 1-100) is printed five times in each package of 500.
- The DN-LA tags fit all DINnectors 5mm wide and wider. There will be a gap between tags on blocks wider than 5mm.
- Material: Thermoplastic with heat embossed black print.

Marking Tags DN-LAT Series			
Part Number	Marking Sequence	Qty	Price
<a href="#"><u>DN-LAT100-A</u></a>	1-100	500	
<a href="#"><u>DN-LAT200-A</u></a>	101-200	500	
<a href="#"><u>DN-LAT300-A</u></a>	201-300	500	
<a href="#"><u>DN-LAT400-A</u></a>	301-400	500	
<a href="#"><u>DN-LAT500-A</u></a>	401-500	500	
<a href="#"><u>DN-LAT600-A</u></a>	501-600	500	
<a href="#"><u>DN-LATB-A</u></a>	Blank Tags	500	
<a href="#"><u>DN-LATS-A</u></a>	L1, L2, L3, L, N, +, -, COM, COM*	500	



- The marking sequence of 500 tags (i.e. 1-100) is printed five times in each package of 500.
- Material: Thermoplastic with heat embossed black print.


Marking Tags DN-QL Series			
Part Number	Marking Sequence	Qty	Price
<a href="#"><u>DN-QL100</u></a>	1-100	500	
<a href="#"><u>DN-QL200</u></a>	101-200	500	
<a href="#"><u>DN-QL300</u></a>	201-300	500	
<a href="#"><u>DN-QL400</u></a>	301-400	500	
<a href="#"><u>DN-QL500</u></a>	401-500	500	
<a href="#"><u>DN-QLB</u></a>	Blank Tags	500	
<a href="#"><u>DN-QLS</u></a>	L1, L2, L3, L, N, +, -, COM, COM*	500	



- The marking sequence of 500 (i.e. 1-100) is printed five times in each package of 500.
- Material: Thermoplastic with heat embossed black print.


## Marking Tags continued

Marking Tags DN-LT Series			
Part Number	Marking Sequence	Qty	Price
<a href="#">DN-LT15</a>	1-5	100	
<a href="#">DN-LT60</a>	6-0	100	
<a href="#">DN-LT1</a>	1	100	
<a href="#">DN-LT2</a>	2	100	
<a href="#">DN-LT3</a>	3	100	
<a href="#">DN-LT4</a>	4	100	
<a href="#">DN-LT5</a>	5	100	
<a href="#">DN-LT6</a>	6	100	
<a href="#">DN-LT7</a>	7	100	
<a href="#">DN-LT8</a>	8	100	
<a href="#">DN-LT9</a>	9	100	
<a href="#">DN-LT0</a>	0	100	
<a href="#">DN-LTBLNK</a>	Unprinted	100	
<a href="#">DN-LTA</a>	A	100	
<a href="#">DN-LTB</a>	B	100	
<a href="#">DN-LTC</a>	C	100	
<a href="#">DN-LTD</a>	D	100	
<a href="#">DN-LTE</a>	E	100	
<a href="#">DN-LTF</a>	F	100	
<a href="#">DN-LTG</a>	G	100	
<a href="#">DN-LTH</a>	H	100	
<a href="#">DN-LTI</a>	I	100	
<a href="#">DN-LTJ</a>	J	100	
<a href="#">DN-LTK</a>	K	100	
<a href="#">DN-LTL</a>	L	100	
<a href="#">DN-LTM</a>	M	100	
<a href="#">DN-LTN</a>	N	100	
-	-	-	-
<a href="#">DN-LTP</a>	P	100	
<a href="#">DN-LTQ</a>	Q	100	
<a href="#">DN-LTR</a>	R	100	
<a href="#">DN-LTS</a>	S	100	
<a href="#">DN-LTT</a>	T	100	
<a href="#">DN-LTU</a>	U	100	
<a href="#">DN-LTV</a>	V	100	
<a href="#">DN-LTW</a>	W	100	
<a href="#">DN-LTX</a>	X	100	
<a href="#">DN-LTY</a>	Y	100	
<a href="#">DN-LTZ</a>	Z	100	
<a href="#">DN-LTGND</a>	⊕	100	
<a href="#">DN-LTPOS</a>	+	100	
<a href="#">DN-LTNEG</a>	-	100	
<a href="#">DN-LTAC</a>	~	100	
<a href="#">DN-LTDC</a>	=	100	




- These marking tags allow the flexibility of creating custom marking sequences on site.
- The DN-M series supports a maximum of three digits (tags), while other DINnectors support up to four digits (tags).
- Material: Thermoplastic with heat embossed black print.

DN-MTA marking tag adapter



DN-MTA dimensions



Part Number	Description	Qty	Price
<a href="#">DN-MTA</a>	Marking tag adapter holds up to six DN-LT tags	50	

Note: DN-MTA adapter does not fit DN-T12-A terminal blocks.

## Terminal Marking Accessories



**DN-EMLBL1**



**DN-EMLBL2**



**DN-EMLBL3**

Part Number	Description	For Use With	Qty	Price
<b>DN-EMLBL1</b>	Blank labels	DN-EMPEG1 pin protectors for DN-xEMXxx plug-in terminal blocks	100	
<b>DN-EMLBL2</b>	Labels printed 1 – 12		100	
<b>DN-EMLBL3</b>	Labels printed 13 – 24		100	

## Marking Pen – for terminal and wire marking tags

- Permanent
- Smudge-proof
- Waterproof
- Weatherproof
- Lightfast (won't fade)
- Dries in seconds (excellent for left-handed users)
- Dry-safe (pen can be left uncapped for days without drying out)
- Low odor ink

Part Number	Description	Qty	Price
<b>DN-MP</b>	Indelible black ink marking pen	1	



**Marking pen**

## Wire Marking Accessories



**DN-WMTAG1 wire tags & DN-WM-x wire tag holders**

Part Number	Description	For Use With	Qty	Price
<b>DN-WMTAG1</b>	Wire tag – blank	all DN-WM-x wire tag holders	525	
<b>DN-WM-1</b>	Wire tag holder, clear, 12mm length, 0.051–0.118 in diameter; for 22–16 AWG wire	DN-WMTAG1	200	
<b>DN-WM-2</b>	Wire tag holder, clear, 12mm length, 0.098–0.196 in diameter; for 16-11 AWG wire		200	
<b>DN-WM-3</b>	Wire tag holder, clear, 12mm length, 0.157–0.393 in diameter; for 13–5 AWG wire		100	
<b>DN-WM-4</b>	Wire tag holder, clear, 12mm length, 0.314–0.629 in diameter; for 5AWG wire		100	