Impact Series - Wall Mount, Single-Door Enclosures







#### Construction

- Polycarbonate for 900 in-lb, high impact
- Polycarbonate is stable and holds its tensile strength better than other non-metallic materials over a temperature range from -40°F to 265°F.
- · Standard hinges for easy door removal or replacement while permitting a full 225-degree door swing.
- Integrated mounting flanges eliminate the need to affix the mounting feet or flange to the enclosure. Mounting flanges are molded into the enclosure.
- · Integrated latch provides a clean look and easy opening of the enclosure. This latch is available on all Impact enclosures.
- · Gray in color with gloss finish.
- Available with clear or opaque door.
- Extra interior mounting bosses on rear wall (and lid of opaque enclosures, except 9x8x2) provide multiple mounting options for DIN rail, back panels, or other components. Tightening torque - 10 to

- Listings
  UL/cUL 50/50E listed UL Type 1, 2, 3, 3R, 3S, 4, 4X, 6, 6P, 12, 13
  - UL File E207562
  - Flammability Rating: UL94-5VA
  - Outdoor UV Exposure Rating: UL-F1


#### Approvals

 To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.





Impact Series Polycarbonate Enclosures - Wall Mount, Single-Door						
Opaque Door	Price	Clear Door	Price	Enclosure Overall Size HxWxD		
P4043-P10		P4043C-P10		4.91 x 4.91 x 3.56 [125 x 125 x 90]		
P6063-P10		P6063C-P10		6.54 x 6.54 x 4.01 [166 x 166 x 102]		
P8063-P10		P8063C-P10		8.54 x 6.54 x 4.01 [217 x 166 x 102]		
P9082-P10		P9082C-P10		9.54 x 8.54 x 3.51 [242 x 217 x 89]		
P10086-P10		P10086C-P10		10.54 x 8.54 x 7.01 [268 x 217 x 178]		
Note: Subpanels m	Note: Subpanels must be ordered separately. Dimensions in inches [millimeters].					



See our website: for complete engineering drawings.



Impact Series - Subpanels, Dead Front Panels, and Swing-Out Panels





#### Construction

- Subpanels available in aluminum, PVC, and steel with white powder coat finish.
- Mounting hardware included.
- Swing-Out panels available in aluminum.
- Advanced Dead Front Panel System: 2 brackets, 8 screws and a face plate (P606 and P806 only).
- Advanced Swing-Out Panel System: 2 brackets, 10 screws, and the swing-out panel (P606 and P806 only).
- Mounting screw torque 10 to 15 lb·in.
- Aluminum panels are 0.063-in thick.
- Painted steel panels are 0.075-in thick.
- PVC panels are 0.187-in thick.

Impact Series Polycarbonate Enclosures - Subpanels							
Aluminum	Price	Painted Steel	Price	PVC	Price	Dimension HxW	For Use With
ABP44-IMP-P10		SBP44-IMP-P10		PVCBP44-IMP-P10		3.50 x 3.50 [89 x 89]	P404 enclosures
ABP-66-IMP-P10		SBP-66-IMP-P10		PVCBP66-IMP-P10		4.88 x 4.88 [124 x 124]	P606 enclosures
ABP-86-IMP-P10		SBP-86-IMP-P10		PVCBP86-IMP-P10		6.75 x 4.88 [171 x 124]	P806 enclosures
ABP-98-IMP-P10		SBP-98-IMP-P10*		PVCBP98-IMP-P10		6.88 x 6.75 [175 x 171]	P908 enclosures
ABP108-IMP-P10		SBP108-IMP-P10**		PVCBP108-IMP-P10		8.75 x 6.88 [222 x 175]	P1008 enclosures

Notes: Dimensions in inches [millimeters].


<sup>\*\*</sup> Painted steel subpanel dimensions are 8.88 x 6.88 [226 x 175].


Impact Series Polycarbonate Enclosures - Dead Front Panels							
Aluminum	Price	Painted Steel	Price	Dimension HxW	For Use With		
AFPK44-IMP-P10		SFPK44-IMP-P10		4.29 x 4.29 [109 x 109]	P404 enclosures		
AFPK66-IMP-P10		SFPK66-IMP-P10		5.93 x 5.93 [151 x 151]	P606 enclosures		
AFPK86-IMP-P10		SFPK86-IMP-P10		7.93 x 5.93 [201 x 151]	P806 enclosures		
AFPK108-IMP-P10		_	_	9.88 x 7.88 [251 x 200]	P1008 enclosures		
Note: Dimensions in inches [millin	Note: Dimensions in inches [millimeters].						

Impact Series Polycarbonate Enclosures - Swing-Out Panels							
Aluminum Price Painted Steel Price Dimension HxW For Use With							
ASWPK66-IMP-P10		SSWPK66-IMP-P10		5.90 x 5.38 [150 x 137]	P606 enclosures		
ASWPK86-IMP-P10		SSWPK86-IMP-P10		7.38 x 5.90 [187 x 150]	P806 enclosures		
ABP-108USOPK-P10		-	-	8.75 x 6.88 [222 x 175]	H1008 and P1008 enclosures		
Note: Dimensions in inches [millin	Note: Dimensions in inches [millimeters].						

<sup>\*</sup>Painted steel subpanel dimensions are 6.88 x 6.88 [175 x 175]

### **Dimensions**





# **Dead Front Panel** 0 0 0 0

See our website: for complete engineering drawings.

## **Polycarbonate Enclosures Pole-Mounting Kits**



#### Construction

- All kits include galvanized steel strut rails and plated steel fasteners.
- Kits for 9-1/2 to 12 in diameter poles include galvanized steel band clamps and brackets. All other kits include galvanized steel pipe clamps.







		Pole Mounting	Kits for Integra Premium Series Enclosures	For Use With
Part Number	Price	Pole Diameter	Kit Includes	Enclosure Width
PMKG-26-P10		2in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	6in
PMKG-36-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	6in
PMKG-46-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	6in
PMKG-126-P10		9-1/2 in to 12in	Galvanized steel strut rails, band clamps, and brackets; plated steel fasteners	6in
PMKG-28-P10		2in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	8in
PMKG-38-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	8in
PMKG-48-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	8in
PMKG-128-P10		9-1/2 in to 12in	Galvanized steel strut rails, band clamps, and brackets; plated steel fasteners	8in
PMKG-210-P10		2in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	10in
PMKG-310-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	10in
PMKG-410-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	10in
PMKG-1210-P10		9-1/2 in to 12in	Galvanized steel strut rails, band clamps, and brackets; plated steel fasteners	10in
PMKG-212-P10		2in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	12in
PMKG-312-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	12in
PMKG-412-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	12in
PMKG-1212-P10		9-1/2 in to 12in	Galvanized steel strut rails, band clamps, and brackets; plated steel fasteners	12in
PMKG-214-P10		2in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	14in
PMKG-314-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	14in
PMKG-414-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	14in
PMKG-1214-P10		9-1/2 in to 12in	Galvanized steel strut rails, band clamps, and brackets; plated steel fasteners	14in
PMKG-216-P10		2in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	16in
PMKG-316-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	16in
PMKG-416-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	16in
PMKG-1216-P10		9-1/2 in to 12in	Galvanized steel strut rails, band clamps, and brackets; plated steel fasteners	16in
	1		Continued on next page.	1

## **Polycarbonate Enclosures Pole-Mounting Kits**





Part Number	Price	Pole Diameter	Kit Includes	For Use With Enclosure Widtl
PMKG-12-IMP-P10*		2in to 12in	Plastic tie wrap and mount adapter; plated steel fasteners	4in
PMKG-26-IMP-P10		2in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	6in
PMKG-36-IMP-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	6in
PMKG-46-IMP-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	6in
PMKG-126-IMP-P10		9-1/2 in to 12in	Galvanized steel strut rails, band clamps, and brackets; plated steel fasteners	6in
PMKG-28-IMP-P10		2in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	8in
PMKG-38-IMP-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	8in
PMKG-48-IMP-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	8in
PMKG-128-IMP-P10		9-1/2 in to 12in	Galvanized steel strut rails, band clamps, and brackets; plated steel fasteners	8in

Pole Mounting Kits for Integra Genesis Series Enclosures								
Part Number	Price	Pole Diameter	Kit Includes	For Use With Enclosure Width				
PMKG-216-GEN-P10		2in	Galvanized steel strut rails, band clamps, and brackets; plated steel fasteners	16in				
PMKG-316-GEN-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	16in				
PMKG-416-GEN-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	16in				
PMKG-1216-GEN-P10		9-1/2 in to 12in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	16in				
PMKG-224-P10		2in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	24in				
PMKG-324-P10		3in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	24in				
PMKG-424-P10		4in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	24in				
PMKG-1224-P10		9-1/2 in to 12in	Galvanized steel strut rails, pipe clamps, and brackets; plated steel fasteners	24in				

## Polycarbonate Enclosures – Accessories





Slot	ted DIN R	ail 35mm x 7m	m Plated Steel
Part Number	Price	Length	For Use With
DIN4-IMP-P10		3.82 [97]	4in wide Impact series enclosures
DIN6-IMP-P10		4.88 [124]	6in wide Impact series enclosures
DIN8-IMP-P10		6.75 [171]	8in wide Impact series enclosures
DIN6-P10		4.88 [124]	6in wide Premium series enclosures
DIN8-P10		6.75 [171]	8in wide Premium series enclosures
DIN10-P10		8.88 [225]	10in wide Premium series enclosures
DIN12-P10		10.75 [273]	12in wide Premium series enclosures
DIN14-P10		12.75 [324]	14in wide Premium series enclosures
DIN16-P10		15.00 [381]	16in wide Premium series enclosures
DIN16-GEN-P10		21.13 [537]	16in wide Genesis series enclosures
DIN24-P10		23.63 [600]	24in wide Genesis series enclosures
Notes: Each item includ Dimensions in in			rdware.



Mounting Feet Kits							
Part Number	Price	Material	For Use With				
MFKG-P10		polycarbonate	Premium series enclosures				
MFKSS-P10		304 stainless steel	Premium series enclosures				
Note: Each kit includes (4) mounting feet and mounting hardware.							



Screw Packs (10 Pcs)							
Part Number	Price	Screw Type	Size	Screw Head	For Use With		
SP-8-P10		25-thread cutting	#8-32 x 3/8 in	Phillips pan head	4in and 6in wide Impact series enclosures		
SP-10I-P10		25-thread cutting	#10-32 x 3/8 in	Phillips pan head	8in wide Impact series and all Premium series enclosures		
GMFLK-SCREWS-P10		Machine-screw	1/4-20 UNC x 1/2 in	Phillips pan head	Genesis series mounting flanges		
GSP10-P10		25-thread cutting	#10-32 x 1/2 in	Phillips pan head	Genesis series polycarbonate enclosures		





## Polycarbonate Enclosures – Accessories





Outdoor Labyrinth Vent							
Part Number	Price	Material	Dimension HxWxD	For Use With			
VENT-2-P10		polypropylene	2.72 x 2.03 x 0.88 [69 x 52 x 22]	Impact, Premium and Genesis series enclosures			

Notes: Installation of vent de-rates enclosure to NEMA 3R. Dimensions in inches [millimeters].



Replacement Quick-Release Latches						
Part Number	Price	Latch Material	For Use With			
SSLL-KIT-P10		304 stainless steel	Premium and Genesis series enclosures			
KIT-GPCL-2PK-P10		glass-filled nylon	Genesis series enclosures (set of 2)			



SSL-KIT-P10



KIT-GPCL-2PK-P10