

### **Nylon Identification Cable Ties**

Nylon cable ties with built-in identification tag.

- UL 94: V2 self-extinguishing nylon
- Suitable for indoor applications
- Rounded edges to avoid cable damage
- Operating temperature: -15 to +75°C [+5 to +167°F]
- CE







		Nylon Identification Cable Ties														
	Part Number	Pcs/ Bag	Price	Color	Tag Size		Length		Width		Min. Bundle Ø		Max. Bundle Ø		Tensile Strength	
ı					mm	in	mm	in	mm	in	mm	in	mm	in	Kg	lb
	SEL.2.202T	100		natural	8 x 25	0.31 x 0.98	100	3.94	2.5	0.10	10	0.39	25	0.98	11	24.25
3	SEL.2.223T	100		natural	35 x 13	1.38 x 0.51	200	7.87	4.8	0.19	16	0.62	50	1.97	28	61.73

#### **Double-headed Cable Ties (Collars)**

Double-headed locking cable ties offer more secure fastening. Made from a softer thermoplastic, these ties are more flexible than standard cable ties. Because these ties are difficult to fasten by hand, we recommend utilizing PIN.005 collar fastening plier.



- Suitable for outdoor applications
- Rounded edges to avoid cable damage
- Operating temperature: -40° to +125°C [-40° to +257°F]
- CE





	Black Double-headed Cable Ties											
Part Number	Pcs/ Bag	Price	Length		Width		Min. Bundle Ø		Max. Bundle Ø		Tensile Strength	
			mm	in	mm	in	mm	in	mm	in	Kg	lb
COL.3.321	100		265	10.43	9	0.35	15	0.59	63	2.48	40	88.18
COL.3.322	100		360	14.17	9	0.35	25	0.98	93	3.66	40	88.18



### **Tools and Accessories**


#### **Cable Tie Cutting Tool**

The special angle of this cutter's tips enables clean cuts of the ties to sizes between 2.5 and 12.5 mm in width, maintaining the wired electric cables intact. The cutter can also be used for cutting cables.



# Collar Fastening Metal Plier

This tool makes it easier to tighten and cut collars. Use with Double-headed Cable Ties. Leaves a short length of tail close to the head. For use with up to 9mm wide cable ties.



#### Cable Tie Gun Installation Tool

For use with cable ties up to 5mm wide. This tool helps to adjust the preload and cut the tie. Tightening torque of 2.5 kg to 12kg.



#### **Bi-directional Nylon Square Bases**




BAS.xMT.507




Note: Screw/mount not included

Bi-directional Nylon Square Bases											
Part Number	Pcs/	Drice	Color	Dual	Dimensions						
Part Number	Bag	Price	Color	Adhesive	А	В					
BAS.2MT.507	100		natural	Yes	10 0 mm [0 74 in]	4.4 mm [0.17 in]					
BAS.3MT.507	100		black	Yes	18.8 mm [0.74 in]						
BAS.2MT.508	100		natural	Yes		5.9 mm [0.23 in]					
BAS.3MT.508	100		black	Yes	26 F mm [1 04 in]						
BAS.2.406	100		natural	No	26.5 mm [1.04 in]						
BAS.3.406	100		black	No							









## **Cable Ties Family Overview**

#### **General Purpose Nylon Cable Ties**



SapiSelco general purpose Nylon 6.6 cable ties are slotted and held in place by the resistance of the elastic

tooth against the rack. These cable ties are resistant to solvents and reagents, oil, gasoline, and hydrocarbons when used at low temperatures, in low concentrations, and for short periods of time. Assortment Kit available.

#### **Colored Nylon Cable Ties**



SapiSelco colored Nylon 6.6 cable ties are useful in applications that require distinct identifiers. These ties are colored with inorganic dyes and are resistant to solvents and reagents, oil, gasoline, and hydrocarbons when used at low temperatures, in low

concentrations, and for short periods of time. Assortment Kit available.

#### **Stainless Steel Tooth Ties**



SapiSelco stainless steel tooth ties are forged from nylon and hardened stainless steel with added Molybdenum. This ensures extremely high mechanical strength and optimal resistance to corrosion. A single central

raised section makes this tie particularly flexible, while guaranteeing maximum strength at the same time.

#### **UV Resistant Cable Ties**



Exposure to sun and ultraviolet rays causes deterioration in nylon. SapiSelco specialty Nylon UV Resistant cable ties can resist and endure the harsh conditions of outdoor applications for up to 10 years. These ties can withstand temperatures up to 125°C [257°F].

#### **Metal Detector Readable Cable Ties**



These ties are fabricated with a special composite of 6.6 polyamide and metal powder and are sensitive to electromagnetic fields. They are recommended in the food, pharmaceutical and chemical industry. They are useful in applications where, for safety reasons, it is necessary for a metal detector to be able to detect even very small fragments of these ties

that may be mixed in with products.

# CLICK



These ties are low-cost, releasable, and reusable cable ties, suitable for lightweight loads.

The double-locking head enables securing two cable bundles with one tie. The body is completely rounded to eliminate all sharp edges guaranteeing reliable performance every time.

#### **Specialty Cable Ties**



Nylon Releasable Tab



Low Temp



**Identification Ties** 



**Screw Mount** 



Nylon Lashing Cable Tie



Double-headed (Collars)

#### **Tools and Accessories**



Cable Tie Cutting Tool



Collar Fastening Metal Plier



Cable Tie Gun Installation Tool



Bi-directional Nylon Square Bases