


QuSpot for RUT240/230

INTEGRATED MULTI-BAND LTE OMNI ANTENNA + WIFI OMNI ANTENNA + PLACE TO INSTALL TELTONIKA RUT240 OR 230 (ALL-IN-ONE)

QuSpot omni LTE antenna for Teltonika RUT240 or 230 router is a perfect outdoor device for mobile and fixed installations like industrial, CCTV, hotspots, yachts, boats, campers, RV etc. It has embedded also omni Wi-Fi antenna. If you use RUT240 or 230 with QuSpot antenna, you get an integrated complete solution with embedded router and multi band antennas in one enclosure.

NOTE: For RUT230 one LTE antenna is unplugged.



OUTDOOR

Use Teltonika router whenever you want

ANTENNA

Maximize your signal with QuWireless antennas

SOLUTION

Plug Teltonika router and you are good to go

LTE SPECIFICATION

FREQUENCY	0.694-0.96 GHz
	1.7 - 2.2 GHz
	2.2 - 2.7 GHz
GAIN	2 dBi
	2 dBi
	4 dBi
VSWR	<1.70, max <2.00
	<1.60, max <2.00
	<1.60, max <2.00
BEAMWIDTH	360°/35° +/- 5°
	360°/35° +/- 5°
	360°/35° +/- 5°
POLARIZATION	Vertical
IMPEDANCE	50 Ω

WI-FI SPECIFICATION

FREQUENCY	2.40-2.50 GHz
	4.70 - 6.00 GHz
GAIN	6 dBi
	7 dBi
VSWR	<1.70, max <2.00
	<1.70, max <2.00
BEAMWIDTH	360°/25° +/- 5°
	360°/25° +/- 5°
POLARIZATION	Vertical
IMPEDANCE	50 Ω

MECHANICAL SPECIFICATION

MATERIALS	ABS, aluminum, PTFE
INGRESS PROTECTION	IP67
DIMENSIONS	160 x 160 x 240 mm
	6.3 x 6.3 x 9.45 inch
WEIGHT	1.5 kg
	3.31 lbs
OPERATING TEMPERATURE	From -40°C to 75°C
	From -40°F to 167°F

DEVICE SPECIFICATION



Small and reliable cellular router with 3G & WiFi. Equipped with Ethernet and I/O. RUT230 is perfect for challenging applications within energy, industry, smart city and IoT sectors.



Compact but powerful 4G LTE & WiFi cellular router with Ethernet and I/O. Great for quick deployment in mission critical IoT applications where advanced Networking, VPN and security features are needed.

DIMENSIONS

